L Number	Hits	Search Text	DB	Time stamp
_	24000	database with interface	USPAT;	2004/04/13 17:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	8519	database with screen	USPAT;	2004/04/13 17:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	500	/A-E-b	IBM_TDB	2004/04/12 10 21
-	523	(database with interface) and (database with screen) and (application with object)	USPAT; US-PGPUB;	2004/04/13 19:31
		and (user with interface)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	61	((database with interface) and (database	USPĀT;	2004/04/13 17:22
		with screen) and (application with object)	US-PGPUB;	
		and (user with interface)) and (database	EPO; JPO; DERWENT;	
		with domain) and (control\$5 with display\$)	IBM TDB	
_	34	(((database with interface) and (database	USPAT;	2004/04/13 17:23
		with screen) and (application with object)	US-PGPUB;	
		and (user with interface)) and (database	EPO; JPO;	
		with domain) and (control\$5 with	DERWENT;	
	1.5	display\$)) and navigation and button	IBM_TDB	2004/04/12 17 21
-	15	((((database with interface) and (database	USPAT; US-PGPUB;	2004/04/13 17:24
		with screen) and (application with object) and (user with interface)) and (database	EPO; JPO;	
		with domain) and (control\$5 with	DERWENT;	
		display\$)) and navigation and button) and	IBM_TDB	
		atm	_	
-	2	<pre>@pd&lt;20011025 and (((((database with</pre>	USPAT;	2004/04/13 17:25
	,	interface) and (database with screen) and	US-PGPUB;	
		(application with object) and (user with interface)) and (database with domain) and	EPO; JPO; DERWENT;	
		(control\$5 with display\$)) and navigation	IBM TDB	
		and button) and atm)		
_	23	(((database with interface) and (database	USPAT;	2004/04/13 17:25
		with screen) and (application with object)	US-PGPUB;	
		and (user with interface)) and (database	EPO; JPO;	
		<pre>with domain) and (control\$5 with display\$)) and atm</pre>	DERWENT; IBM TDB	
_	5	displays); and atm   @pd<20011025 and ((((database with	USPAT;	2004/04/13 17:36
		interface) and (database with screen) and	US-PGPUB;	
		(application with object) and (user with	EPO; JPO;	
		interface)) and (database with domain) and	DERWENT;	
		(control\$5 with display\$)) and atm)	IBM_TDB	0004/04/10 15 15
-	4	(bank with server) and atm and (database with interface) and (database with screen)	USPAT;	2004/04/13 17:33
		and (application with object) and (user	US-PGPUB; EPO; JPO;	
		with interface))	DERWENT;	
			IBM TDB	
-	5	(bank with server) and (((database with	USPAT;	2004/04/13 17:35
		interface) and (database with screen) and	US-PGPUB;	
		(application with object) and (user with	EPO; JPO;	
		<pre>interface)) and (database with domain) and (control\$5 with display\$))</pre>	DERWENT;	
_	11	(controls with displays)) (bank\$ with service) and (((database with	IBM_TDB USPAT;	2004/04/13 18:53
		interface) and (database with screen) and	US-PGPUB;	
		(application with object) and (user with	EPO; JPO;	
		interface)) and (database with domain) and	DERWENT;	
		(control\$5 with display\$))	IBM_TDB	
-	48		USPAT;	2004/04/13 17:36
		with interface) and (database with screen) and (application with object) and (user	US-PGPUB; EPO; JPO;	
		with interface)) and (database with	DERWENT;	
		domain) and (control\$5 with display\$))	IBM TDB	
		· · · · · · · · · · · · · · · · · · ·	<del></del>	·

-	17	@pd<20011025 and ((access\$5 with points)	USPAT;	2004/04/13 18:53
		and (((database with interface) and	US-PGPUB;	
		(database with screen) and (application	EPO; JPO;	
		with object) and (user with interface))	DERWENT;	
		and (database with domain) and (control\$5	IBM_TDB	
	9	with display\$)))   (@pd<20011025 and ((access\$5 with points)	USPAT;	2004/04/13 17:40
-	9	and (((database with interface) and	US-PGPUB;	2004/04/13 17:40
		(database with interface) and (database with screen) and (application	EPO; JPO;	
		with object) and (user with interface))	DERWENT;	
	[	and (database with domain) and (control\$5	IBM TDB	
		with display\$)))) and account\$5		
_	6	(((database with interface) and (database	USPAT;	2004/04/13 18:46
		with screen) and (application with object)	US-PGPUB;	
		and (user with interface)) and (database	EPO; JPO;	•
		with domain) and (control\$5 with	DERWENT;	
		display\$)) and (707/10).ccls.	IBM_TDB	
-	14	((database with interface) and (database	USPAT;	2004/04/13 18:52
İ		with screen) and (application with object)	US-PGPUB;	
		and (user with interface)) and (cash with register)	EPO; JPO; DERWENT;	
		redracer!	IBM TDB	
_	14	((database with interface) and (database	USPAT;	2004/04/13 18:52
		with screen) and (application with object)	US-PGPUB;	
	!	and (user with interface)) and (cash with	EPO; JPO;	
		register) and updat\$4	DERWENT;	·
		-	IBM_TDB	
-	1	<pre>@pd&lt;20011025 and (((database with</pre>	USPAT;	2004/04/13 19:10
		interface) and (database with screen) and	US-PGPUB;	
		(application with object) and (user with	EPO; JPO;	
		interface)) and (cash with register) and	DERWENT;	
1_	6	updat\$4) (bank\$ with service) and atm and	IBM_TDB   USPAT;	2004/04/13 18:55
		"application object" and (database with	US-PGPUB;	2004/04/13 10:55
	Ì	screen) and (cash with register)	EPO; JPO;	
			DERWENT;	
-			IBM TDB	
_	6	(bank\$ and service) and atm and	USPAT;	2004/04/13 18:56
		"application object" and (database with	US-PGPUB;	
		screen) and (cash with register)	EPO; JPO;	
			DERWENT;	
1_	6	(bank\$ and service) and "application	IBM_TDB   USPAT;	2004/04/13 18:56
	"	object" and (database with screen) and	US-PGPUB;	2004/04/13 10:30
		(cash with register)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	6	atm and "application object" and	USPAT;	2004/04/13 18:56
		(database with screen) and (cash with	US-PGPUB;	
		register)	EPO; JPO;	
			DERWENT;	
	15	atm and "application object" and	IBM_TDB USPAT;	2004/04/13 19:07
_	13	atm and "application object" and (database with screen) and (cash and	US-PGPUB;	2004/04/13 13:0/
		register)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	8		USPAT;	2004/04/13 19:08
		(database with screen) and pos	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
l _	71	atm and (database with screen) and pos	IBM_TDB USPAT;	2004/04/13 19:15
-	'1	acin and (database with screen) and pos	US-PGPUB;	2004/04/13 19:13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	6	(atm and (database with screen) and pos) and (sale with clerk)	USPAT; US-PGPUB;	2004/04/13 19:09
			EPO; JPO; DERWENT;	
		( ) ( ) ( ) ( ) ( ) ( ) ( )	IBM_TDB	0004/04/10 10 00
-	10	(atm and (database with screen) and pos) and (sale with register)	USPAT; US-PGPUB;	2004/04/13 19:09
			EPO; JPO;	
			DERWENT; IBM TDB	
_	3	<pre>@pd&lt;20011025 and ((atm and (database</pre>	USPAT;	2004/04/13 19:16
		with screen) and pos) and (sale with	US-PGPUB;	
		register))	EPO; JPO; DERWENT;	
			IBM TDB	
-	50	· · · · · · · · · · · · · · · · · · ·	USPĀT;	2004/04/13 19:16
		financial and inventory and pricing and	US-PGPUB;	
		person\$5	EPO; JPO; DERWENT;	
			IBM_TDB	
-	12	1 - •	USPAT;	2004/04/13 19:30
		with screen) and financial and inventory and pricing and person\$5)	US-PGPUB; EPO; JPO;	
		•	DERWENT;	
_	237	atm and "back office"	IBM_TDB USPAT;	2004/04/13 19:30
	257	acm and back office	US-PGPUB;	2004/04/13 13.30
			EPO; JPO;	
			DERWENT; IBM TDB	
-	o	@pd<20011025 and ((atm and (database	USPAT;	2004/04/13 19:30
		with screen) and financial and inventory	US-PGPUB;	
		and pricing and person\$5) and (atm and "back office"))	EPO; JPO; DERWENT;	
			IBM_TDB	
-	12	(atm and (database with screen) and financial and inventory and pricing and	USPAT; US-PGPUB;	2004/04/13 19:30
		person\$5) and (atm and "back office")	EPO; JPO;	
			DERWENT;	
_	45	<pre>@pd&lt;20011025 and (atm and "back office")</pre>	IBM_TDB USPAT;	2004/04/13 19:30
		epa la coma (a com ana a com citato a ,	US-PGPUB;	2001, 01, 20 13100
			EPO; JPO;	
			DERWENT; IBM TDB	
-	5893	is and (approacton with object) and	USPĀT;	2004/04/13 19:31
		(user with interface)	US-PGPUB; EPO; JPO;	
			DERWENT;	
		(0-d<20011025 and (-t	IBM_TDB	2004/04/12 10:21
_	4	(@pd<20011025 and (atm and "back office")) and (application with object) and (user	USPAT; US-PGPUB;	2004/04/13 19:31
		with interface)	EPO; JPO;	
			DERWENT; IBM TDB	
_	2	6154738.pn.	USPAT;	2004/04/19 15:07
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	6154738.pn. and (modif\$ with network)	USPAT;	2004/04/19 15:08
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	n	6154738.pn. and (chang\$ with network)	IBM_TDB USPAT;	2004/04/19 15:08
		TITITION AND CONTINUES AT INCOMPLE	US-PGPUB;	2001, 04, 15 15.00
			EPO; JPO;	
			DERWENT; IBM TDB	
<u> </u>	l	<u> </u>		<u> </u>

_	0	6154738.pn. and (administrator with network)	USPAT; US-PGPUB;	2004/04/19 15:09
			EPO; JPO; DERWENT; IBM TDB	
-	1801	<pre>(administrator with network) and (modif\$ with network)</pre>	USPAT; US-PGPUB;	2004/04/19 15:16
			EPO; JPO; DERWENT;	
-	157	( (administrator with network) and (modif\$ with network)) and quer\$ and	IBM_TDB USPAT; US-PGPUB;	2004/04/19 15:13
		(management with task)	EPO; JPO; DERWENT;	:
-	2	( ( (administrator with network) and (modif\$ with network)) and quer\$ and	IBM_TDB USPAT; US-PGPUB;	2004/04/19 15:12
		(management with task)) and (search\$ with handler) and display\$	EPO; JPO; DERWENT;	
-	24	( (administrator with network) and (modif\$ with network)) and quer\$ and	IBM_TDB USPAT; US-PGPUB;	2004/04/19 15:14
		(manager with task) and (manager with search\$)	EPO; JPO; DERWENT;	
-	38	(administrator with network) and quer\$ and (manager with task) and (manager with	IBM_TDB USPAT; US-PGPUB;	2004/04/19 15:28
		search\$)	EPO; JPO; DERWENT;	
_	10	<pre>@pd&lt;20001211 and ( (administrator with network) and quer\$ and (manager with task)</pre>	IBM_TDB USPAT; US-PGPUB;	2004/04/19 16:49
		and (manager with search\$))	EPO; JPO; DERWENT;	
-	133	(administrator with network) and quer\$ and (manag\$6 with task) and (manag\$6 with	IBM_TDB USPAT; US-PGPUB;	2004/04/19 16:35
		search\$)	EPO; JPO; DERWENT;	
_	18	<pre>@pd&lt;20001211 and ( (administrator with network) and quer\$ and (manag\$6 with task)</pre>	IBM_TDB USPAT; US-PGPUB;	2004/04/19 16:33
		and (manag\$6 with search\$))	EPO; JPO; DERWENT;	
-	116	(administrator ) and quer\$ and (manager with task) and (manager with search\$)	IBM_TDB USPAT; US-PGPUB;	2004/04/19 18:17
			EPO; JPO; DERWENT; IBM TDB	
_	36	quer\$ and (manager with task) and (manager	USPĀT; US-PGPUB;	2004/04/19 16:35
		with search\$))	EPO; JPO; DERWENT; IBM TDB	
_	21	quer\$ and (manager with task) and (manager	USPĀT; US-PGPUB;	2004/04/19 15:29
		with search\$)) and install\$	EPO; JPO; DERWENT; IBM TDB	
-	20	<pre>@pd&lt;20001211 and ( (administrator ) and quer\$ and (manager with task) and (manager with search\$)) and install\$ and source\$</pre>	USPĀT; US-PGPUB;	2004/04/19 16:32
			EPO; JPO; DERWENT; IBM_TDB	
_	1	015129.apn.	USPĀT; US-PGPUB; EPO; JPO;	2004/04/19 16:32
			DERWENT; IBM TDB	